

附件

## 宣城市2023年度考录公务员人民警察职位体能测评结果

| 准考证号         | 身份证号               | 职位代码   | 行测成绩 | 申论成绩 | 专业成绩  | 笔试成绩  | 体能测评结果 | 备注 |
|--------------|--------------------|--------|------|------|-------|-------|--------|----|
| 133000705708 | 371203200010033238 | 130168 | 67.3 | 75   | 0     | 71.15 | 合格     |    |
| 133000705716 | 341103199801225010 | 130168 | 64.9 | 63.5 | 0     | 64.2  | 弃权     |    |
| 133000705705 | 34130220010911287X | 130168 | 58.4 | 67   | 0     | 62.7  | 合格     |    |
| 133000705719 | 342501199501100275 | 130176 | 63.7 | 62   | 0     | 62.85 | 合格     |    |
| 133000705718 | 342501199606298011 | 130176 | 49.4 | 66   | 0     | 57.7  | 合格     |    |
| 133000705803 | 342501199708101291 | 130177 | 67.5 | 74   | 0     | 70.75 | 合格     |    |
| 133000705924 | 342522199412182717 | 130177 | 71.9 | 66   | 0     | 68.95 | 合格     |    |
| 133000705729 | 342524199704011314 | 130177 | 59.2 | 74.5 | 0     | 66.85 | 合格     |    |
| 133006105115 | 342523199402190015 | 130180 | 73.7 | 68.5 | 0     | 71.1  | 合格     |    |
| 133006105110 | 342529199407205210 | 130180 | 74.6 | 67.5 | 0     | 71.05 | 不合格    |    |
| 133006105106 | 342529199802021219 | 130180 | 77.4 | 62   | 0     | 69.7  | 合格     |    |
| 133000706102 | 342524199507150032 | 130182 | 66.5 | 68.5 | 0     | 67.5  | 合格     |    |
| 133000706105 | 342531199511210214 | 130182 | 66.6 | 68   | 0     | 67.3  | 合格     |    |
| 133000706103 | 342531199502040217 | 130182 | 63.7 | 66.5 | 0     | 65.1  | 合格     |    |
| 133030902905 | 342531199712102228 | 130185 | 73.8 | 67.5 | 79.25 | 73.55 | 合格     |    |
| 133030902903 | 342530199712224528 | 130185 | 67.3 | 70.5 | 73    | 69.97 | 合格     |    |
| 133030903004 | 342501199910210272 | 130185 | 72   | 58   | 66.5  | 66.15 | 不合格    |    |
| 133030903028 | 342523199209188220 | 130185 | 63.7 | 58.5 | 77    | 66.13 | 合格     |    |
| 133030903025 | 342522199307171223 | 130185 | 63.8 | 65   | 69    | 65.72 | 不合格    |    |
| 133030903029 | 342501199502190284 | 130185 | 69.1 | 65   | 61    | 65.44 | 合格     |    |
| 133050900408 | 34070219980331002X | 130186 | 69.3 | 73   | 68    | 70.02 | 合格     |    |
| 133050900426 | 340222199408260067 | 130186 | 67.5 | 73.5 | 69    | 69.75 | 合格     |    |
| 133050900505 | 342501200101082624 | 130186 | 72.1 | 64   | 67    | 68.14 | 合格     |    |
| 133050900407 | 342523199602198222 | 130186 | 69   | 61.5 | 71    | 67.35 | 合格     |    |
| 133050900506 | 342501199402010821 | 130186 | 70.9 | 64   | 65    | 67.06 | 不合格    |    |
| 133050900403 | 320925200011290021 | 130186 | 70.2 | 60   | 69    | 66.78 | 合格     |    |
| 133050900404 | 342501199510261302 | 130186 | 69.2 | 66.5 | 62    | 66.23 | 合格     |    |
| 133050900510 | 342501199904055026 | 130186 | 65.6 | 64.5 | 68    | 65.99 | 合格     |    |
| 133050900517 | 342501199805134028 | 130186 | 62.9 | 62.5 | 70    | 64.91 | 合格     |    |

| 准考证号         | 身份证号               | 职位代码   | 行测成绩 | 申论成绩 | 专业成绩 | 笔试成绩  | 体能测评结果 | 备注 |
|--------------|--------------------|--------|------|------|------|-------|--------|----|
| 133050900602 | 340825199410133819 | 130187 | 63.8 | 68   | 70   | 66.92 | 合格     |    |
| 133050900530 | 342501199309160817 | 130187 | 66.3 | 54   | 68   | 63.12 | 合格     |    |
| 133050900525 | 342522199912083950 | 130187 | 69.1 | 50   | 64   | 61.84 | 合格     |    |
| 133050900529 | 342529199307204616 | 130187 | 63.9 | 59.5 | 60   | 61.41 | 合格     |    |
| 133050900523 | 342427199910213113 | 130187 | 63   | 57   | 61   | 60.6  | 弃权     |    |
| 133050900527 | 342501200012150277 | 130187 | 57.3 | 62.5 | 58   | 59.07 | 合格     |    |
| 133050900627 | 340621200005150331 | 130188 | 71.1 | 60.5 | 77   | 69.69 | 合格     |    |
| 133050900606 | 370481199607110914 | 130188 | 61.9 | 70.5 | 71   | 67.21 | 合格     |    |
| 133050900621 | 342423199505124971 | 130188 | 66.6 | 64.5 | 69   | 66.69 | 合格     |    |
| 133050900625 | 342625199705130034 | 130188 | 66.4 | 58   | 73   | 65.86 | 合格     |    |
| 133050900701 | 110108199501313615 | 130188 | 59.3 | 69.5 | 68   | 64.97 | 合格     |    |
| 133050900609 | 340405199902180016 | 130188 | 61.1 | 71.5 | 62   | 64.49 | 合格     |    |
| 131050900121 | 342501199910222417 | 130189 | 70.3 | 73   | 71   | 71.32 | 合格     |    |
| 131050900103 | 34062119950419283X | 130189 | 67.4 | 70.5 | 67   | 68.21 | 不合格    |    |
| 131050900105 | 342625199901130058 | 130189 | 71.9 | 66   | 59   | 66.26 | 不合格    |    |
| 131050900112 | 341221199707178519 | 130189 | 62.7 | 70.5 | 65   | 65.73 | 合格     |    |
| 131050900108 | 341222199811218177 | 130189 | 71.1 | 60   | 63   | 65.34 | 合格     |    |
| 131050900110 | 341525199908214434 | 130189 | 65.6 | 62   | 66   | 64.64 | 合格     |    |
| 131010901119 | 340311199707221814 | 130190 | 75.6 | 75.5 | 64   | 72.09 | 不合格    |    |
| 131010901218 | 341226199504031578 | 130190 | 69.3 | 58.5 | 84.5 | 70.62 | 合格     |    |
| 131010901118 | 34011119970701753X | 130190 | 70.9 | 57.5 | 75   | 68.11 | 合格     |    |
| 131010901105 | 320721199209014637 | 130190 | 73.7 | 63   | 63.5 | 67.43 | 合格     |    |
| 131010901210 | 340322199310083432 | 130190 | 53.6 | 72.5 | 79.5 | 67.04 | 合格     |    |
| 131010901127 | 340222200007010011 | 130190 | 74.4 | 48.5 | 72.5 | 66.06 | 合格     |    |
| 131010700101 | 342531199602274918 | 130191 | 75.4 | 68   | 81.5 | 75.01 | 合格     |    |
| 131010901226 | 34250119990318781X | 130191 | 71.8 | 72   | 71   | 71.62 | 不合格    |    |
| 131010901313 | 34250119970210001X | 130191 | 71.1 | 68   | 74   | 71.04 | 不合格    |    |
| 131010901314 | 342501199610134212 | 130191 | 68.4 | 70.5 | 74   | 70.71 | 合格     |    |
| 131010901301 | 342501199804220557 | 130191 | 73.8 | 63.5 | 73.5 | 70.62 | 合格     |    |
| 131010901328 | 34250119950128027X | 130191 | 67.5 | 66.5 | 76.5 | 69.9  | 合格     |    |
| 131050900327 | 330124199704124911 | 130192 | 76.5 | 68.5 | 77   | 74.25 | 合格     |    |

| 准考证号         | 身份证号               | 职位代码   | 行测成绩 | 申论成绩 | 专业成绩 | 笔试成绩  | 体能测评结果 | 备注 |
|--------------|--------------------|--------|------|------|------|-------|--------|----|
| 131050900211 | 342501199208070556 | 130192 | 74.5 | 67.5 | 77   | 73.15 | 合格     |    |
| 131050900124 | 340221199301204958 | 130192 | 79.1 | 62   | 75   | 72.74 | 合格     |    |
| 131050900210 | 320723199909073219 | 130192 | 73.8 | 67   | 76   | 72.42 | 合格     |    |
| 131050900325 | 340221199611172613 | 130192 | 76.5 | 62.5 | 70   | 70.35 | 合格     |    |
| 131050900125 | 342501199503010791 | 130192 | 72.1 | 70   | 67   | 69.94 | 合格     |    |
| 131050701006 | 370826199811064019 | 130193 | 68.4 | 54   | 67   | 63.66 | 不合格    |    |
| 131050701010 | 341222200008127693 | 130193 | 64.6 | 57.5 | 64   | 62.29 | 合格     |    |
| 131050701005 | 342501199803208011 | 130193 | 64.8 | 59.5 | 61   | 62.07 | 合格     |    |
| 133050900801 | 342522199402130024 | 130194 | 67.3 | 63.5 | 72   | 67.57 | 合格     |    |
| 133050900714 | 341222199408240016 | 130194 | 68.3 | 67   | 65   | 66.92 | 合格     |    |
| 133050900727 | 342923199309166661 | 130194 | 62   | 65   | 72   | 65.9  | 合格     |    |
| 133050900804 | 372426199502024216 | 130195 | 54.8 | 53.5 | 55   | 54.47 | 弃权     |    |
| 133050900814 | 341122199402011014 | 130197 | 63.8 | 62   | 67   | 64.22 | 合格     |    |
| 133050900813 | 342425199510112417 | 130197 | 61   | 59   | 73   | 64    | 合格     |    |
| 133050900809 | 340824199210154838 | 130197 | 62   | 56.5 | 74   | 63.95 | 合格     |    |
| 133050900820 | 342501199605170286 | 130198 | 72.9 | 68.5 | 56   | 66.51 | 合格     |    |
| 133050900821 | 342501199609202011 | 130198 | 68.2 | 63   | 64   | 65.38 | 合格     |    |
| 133050900823 | 342523199206128812 | 130198 | 67.5 | 56.5 | 66   | 63.75 | 合格     |    |
| 132050701305 | 342524199611210031 | 130199 | 69   | 70   | 66   | 68.4  | 合格     |    |
| 132050701312 | 34252319961109103X | 130199 | 72.9 | 56   | 64   | 65.16 | 不合格    |    |
| 132050701310 | 342523199709187013 | 130199 | 60.3 | 63.5 | 73   | 65.07 | 合格     |    |
| 132050701320 | 342523199506074019 | 130200 | 63.8 | 68.5 | 72   | 67.67 | 合格     |    |
| 132050701322 | 34253120000704024X | 130200 | 65.7 | 64   | 59   | 63.18 | 合格     |    |
| 132050701324 | 342502199804026814 | 130200 | 70.1 | 54   | 59   | 61.94 | 合格     |    |
| 132050701403 | 342522200007255113 | 130201 | 70.2 | 65.5 | 63   | 66.63 | 不合格    |    |
| 132050701328 | 341021199710150559 | 130201 | 62.6 | 66.5 | 67   | 65.09 | 合格     |    |
| 132050701329 | 342501200005076419 | 130201 | 64.7 | 60   | 57   | 60.98 | 不合格    |    |
| 133050702522 | 342501199601046210 | 130202 | 72.9 | 70   | 69   | 70.86 | 合格     |    |
| 133050702520 | 342501199409187013 | 130202 | 64.7 | 68   | 80   | 70.28 | 合格     |    |
| 133050702204 | 342501199308011297 | 130202 | 72.7 | 67   | 70   | 70.18 | 合格     |    |
| 133050702530 | 342501199610252411 | 130202 | 73   | 60   | 76   | 70    | 合格     |    |

| 准考证号         | 身份证号               | 职位代码   | 行测成绩 | 申论成绩 | 专业成绩 | 笔试成绩  | 体能测评结果 | 备注 |
|--------------|--------------------|--------|------|------|------|-------|--------|----|
| 133050702318 | 342623199809022537 | 130202 | 70.2 | 66.5 | 71   | 69.33 | 合格     |    |
| 133050702226 | 340881200102067019 | 130202 | 69.9 | 63.5 | 73   | 68.91 | 合格     |    |
| 133050702707 | 342524199609010030 | 130202 | 73.6 | 67   | 63   | 68.44 | 合格     |    |
| 133050702810 | 342501199410195619 | 130202 | 67.4 | 65.5 | 70   | 67.61 | 合格     |    |
| 133050702504 | 342501199903137812 | 130202 | 71.9 | 65.5 | 62   | 67.01 | 合格     |    |
| 133050702728 | 330522199309204179 | 130202 | 64.7 | 67   | 70   | 66.98 | 不合格    |    |
| 133050702503 | 342501199910280270 | 130202 | 70   | 66   | 63   | 66.7  | 合格     |    |
| 133050702506 | 341881199508202212 | 130202 | 66.6 | 63.5 | 70   | 66.69 | 合格     |    |
| 133050702713 | 342502199609133817 | 130202 | 73.7 | 59   | 65   | 66.68 | 合格     |    |
| 133050702827 | 342523199509168811 | 130202 | 63   | 69.5 | 68   | 66.45 | 合格     |    |
| 133050702709 | 320902199301206019 | 130202 | 71.2 | 58.5 | 68   | 66.43 | 合格     |    |
| 133050702808 | 342501199609234216 | 130202 | 67.2 | 67.5 | 62   | 65.73 | 合格     |    |
| 133050702610 | 340223199508086736 | 130202 | 61.9 | 60.5 | 76   | 65.71 | 合格     |    |
| 133050702615 | 342501199308182811 | 130202 | 67.3 | 64.5 | 64   | 65.47 | 不合格    |    |
| 133050702417 | 340505199807031018 | 130202 | 72.9 | 52.5 | 68   | 65.31 | 合格     |    |
| 133050702527 | 342922200002083799 | 130202 | 69.2 | 63   | 62   | 65.18 | 不合格    |    |
| 133050702207 | 340323199304227811 | 130202 | 64.6 | 60.5 | 70   | 64.99 | 合格     |    |
| 133050702424 | 342523199805080718 | 130202 | 67.5 | 52.5 | 74   | 64.95 | 合格     |    |
| 133050702816 | 34188120000803561X | 130202 | 68.4 | 66   | 59   | 64.86 | 合格     |    |
| 133050702604 | 342524199812160034 | 130202 | 67.5 | 60.5 | 65   | 64.65 | 弃权     |    |
| 133050703126 | 34252319991128102X | 130203 | 74.7 | 67   | 76   | 72.78 | 合格     |    |
| 133050703012 | 342502199302220529 | 130203 | 75.6 | 65   | 73   | 71.64 | 合格     |    |
| 133050703101 | 34250219990430202X | 130203 | 71.9 | 63   | 77   | 70.76 | 不合格    |    |
| 133050703028 | 342524199606240041 | 130203 | 72.8 | 62.5 | 67   | 67.97 | 不合格    |    |
| 133050703027 | 342502199702192029 | 130203 | 68.1 | 65.5 | 68   | 67.29 | 合格     |    |
| 133050703013 | 342523199711077323 | 130203 | 62.9 | 66   | 71   | 66.26 | 合格     |    |
| 133050703204 | 341224199506190414 | 130204 | 73.8 | 61   | 70   | 68.82 | 不合格    |    |
| 133050703216 | 340223199507150011 | 130204 | 69.2 | 64.5 | 69   | 67.73 | 合格     |    |
| 133050703203 | 342531199703102218 | 130204 | 68.3 | 61.5 | 62   | 64.37 | 合格     |    |
| 133050703223 | 332523200009284430 | 130204 | 70.2 | 62   | 57   | 63.78 | 合格     |    |
| 133050703222 | 342524199607230814 | 130204 | 63   | 61.5 | 62   | 62.25 | 不合格    |    |

| 准考证号         | 身份证号               | 职位代码   | 行测成绩 | 申论成绩 | 专业成绩 | 笔试成绩  | 体能测评结果 | 备注 |
|--------------|--------------------|--------|------|------|------|-------|--------|----|
| 133050703225 | 330327199607186811 | 130204 | 63   | 53   | 70   | 62.1  | 不合格    |    |
| 133050703227 | 341881199612022625 | 130205 | 71   | 65   | 65   | 67.4  | 不合格    |    |
| 133050703303 | 342523200007033429 | 130205 | 60.3 | 69   | 70   | 65.82 | 合格     |    |
| 133050703226 | 342531199511231226 | 130205 | 57.5 | 70.5 | 62   | 62.75 | 合格     |    |
| 133050703316 | 34250219970316541X | 130206 | 72   | 59   | 76   | 69.3  | 合格     |    |
| 133050703514 | 342529199801140013 | 130206 | 73.7 | 58   | 72   | 68.48 | 不合格    |    |
| 133050703510 | 341103199204304415 | 130206 | 71   | 63.5 | 68   | 67.85 | 合格     |    |
| 133050703305 | 34250119931129681X | 130206 | 72.9 | 63   | 65   | 67.56 | 合格     |    |
| 133050703604 | 342529199511240817 | 130206 | 64.7 | 64.5 | 71   | 66.53 | 不合格    |    |
| 133050703801 | 342501199312232412 | 130206 | 65.7 | 64   | 70   | 66.48 | 合格     |    |
| 133050703723 | 342529199409270016 | 130206 | 67.5 | 63.5 | 68   | 66.45 | 合格     |    |
| 133050703712 | 342530199507260810 | 130206 | 65.6 | 70   | 64   | 66.44 | 合格     |    |
| 133050703721 | 342529199605165811 | 130206 | 63   | 70.5 | 65   | 65.85 | 合格     |    |
| 133050703716 | 342524199908210016 | 130206 | 61.1 | 65   | 73   | 65.84 | 合格     |    |
| 133050703321 | 340321199904123458 | 130206 | 78.2 | 52.5 | 62   | 65.63 | 合格     |    |
| 133050703621 | 342501199804083214 | 130206 | 63.8 | 65   | 67   | 65.12 | 合格     |    |
| 133050703409 | 342423199204141575 | 130206 | 66.4 | 59.5 | 69   | 65.11 | 弃权     |    |
| 133050703420 | 320922199403221119 | 130206 | 60   | 63.5 | 73   | 64.95 | 不合格    |    |
| 133050703730 | 342501199310153235 | 130206 | 66.6 | 63.5 | 64   | 64.89 | 合格     |    |
| 133050703911 | 34118220000726024X | 130207 | 63.8 | 65.5 | 77   | 68.27 | 合格     |    |
| 133050703813 | 341024199705128321 | 130207 | 68.4 | 62   | 72   | 67.56 | 合格     |    |
| 133050703909 | 340203199405160520 | 130207 | 64.5 | 66.5 | 72   | 67.35 | 不合格    |    |
| 133050703928 | 320324199810177012 | 130207 | 72.8 | 60   | 67   | 67.22 | 合格     |    |
| 133050703913 | 342501199708314027 | 130207 | 67.3 | 67   | 65   | 66.52 | 合格     |    |
| 133050703817 | 342530199407203229 | 130207 | 61.9 | 64   | 73   | 65.86 | 合格     |    |
| 133050704016 | 342502199603307214 | 130208 | 66.7 | 64   | 70   | 66.88 | 合格     |    |
| 133050704015 | 342530199508220810 | 130208 | 66.5 | 62   | 67   | 65.3  | 合格     |    |
| 133050704023 | 342622199212100639 | 130208 | 67.5 | 63   | 59   | 63.6  | 合格     |    |
| 133050704029 | 342522200001280916 | 130209 | 62.9 | 65.5 | 65   | 64.31 | 合格     |    |
| 133050704102 | 341102199204300215 | 130209 | 63   | 59   | 64   | 62.1  | 合格     |    |
| 133050704107 | 342622200112018174 | 130209 | 50   | 54   | 48   | 50.6  | 合格     |    |

| 准考证号         | 身份证号               | 职位代码   | 行测成绩 | 申论成绩 | 专业成绩 | 笔试成绩  | 体能测评结果 | 备注 |
|--------------|--------------------|--------|------|------|------|-------|--------|----|
| 133002204309 | 342523199310086712 | 210002 | 69.2 | 74   | 0    | 71.6  | 合格     |    |
| 133002204304 | 342523199910270011 | 210002 | 70.3 | 65   | 0    | 67.65 | 合格     |    |
| 133002204301 | 342523199903238232 | 210002 | 66.6 | 63   | 0    | 64.8  | 合格     |    |
| 133002204322 | 342921199311204820 | 210003 | 66.5 | 73.5 | 0    | 70    | 合格     |    |
| 133002204324 | 330523199301203020 | 210003 | 65.6 | 73.5 | 0    | 69.55 | 合格     |    |
| 133002204318 | 342523199607295224 | 210003 | 62.9 | 69   | 0    | 65.95 | 合格     |    |
| 133050704328 | 140481199604106415 | 210010 | 81.9 | 61.5 | 65   | 70.71 | 合格     |    |
| 133050704317 | 331023199410181418 | 210010 | 71   | 59.5 | 76   | 69.05 | 合格     |    |
| 133050704319 | 330522199705140613 | 210010 | 67.6 | 65.5 | 74   | 68.89 | 合格     |    |
| 133050704202 | 330523199403202811 | 210010 | 65.7 | 67.5 | 72   | 68.13 | 弃权     |    |
| 133050704304 | 342522199706261533 | 210010 | 74.6 | 58.5 | 69   | 68.09 | 合格     |    |
| 133050704118 | 342523199608230019 | 210010 | 65.7 | 66   | 73   | 67.98 | 不合格    |    |
| 133050704416 | 330523199805123219 | 210010 | 66.6 | 59.5 | 77   | 67.59 | 合格     |    |
| 133050704325 | 342523199812246712 | 210010 | 71.9 | 59   | 70   | 67.46 | 合格     |    |
| 133050704316 | 32092419961105141X | 210010 | 64.6 | 67.5 | 66   | 65.89 | 弃权     |    |
| 133050704224 | 342523199311239135 | 210010 | 71   | 57.5 | 66   | 65.45 | 弃权     |    |
| 133050704306 | 342523199809166711 | 210010 | 68.2 | 60   | 67   | 65.38 | 合格     |    |
| 133050704417 | 33052319951024251X | 210010 | 71   | 63.5 | 58   | 64.85 | 弃权     |    |
| 133050704521 | 342523199712250036 | 210011 | 67.4 | 76.5 | 67   | 70.01 | 不合格    |    |
| 133050704518 | 330523199510123617 | 210011 | 67.3 | 67.5 | 67   | 67.27 | 合格     |    |
| 133050704516 | 342501200106080804 | 210011 | 66.6 | 68   | 62   | 65.64 | 不合格    |    |
| 133050704601 | 330501199807033710 | 210011 | 75.6 | 65   | 52   | 65.34 | 合格     |    |
| 133050704520 | 342522199508121214 | 210011 | 61.9 | 68.5 | 66   | 65.11 | 合格     |    |
| 133050704611 | 342523199602101013 | 210011 | 69.2 | 64   | 59   | 64.58 | 合格     |    |
| 133050704620 | 342523199811120413 | 210012 | 64.7 | 60   | 74   | 66.08 | 合格     |    |
| 133050704621 | 342523199603021031 | 210012 | 58.4 | 56.5 | 65   | 59.81 | 弃权     |    |
| 133050704624 | 342523199510107311 | 210012 | 56.4 | 54   | 56   | 55.56 | 合格     |    |